



赫兹电力
HERTZ POWER

产品宗旨：技术领先，质量可靠，轻便易用

服务宗旨：快速响应，达到满意，超过期望





赫兹电力
HERTZ POWER

产品宗旨：技术领先，质量可靠，轻便易用

服务宗旨：快速响应，达到满意，超过期望





.....	4
.....	5
.....	6
1.	6
2.	6
3.	7
.....	9
.....	9
1.	9
2.	10
2.1.	10
2.2.	11
2.2.1.	11
2.2.2.	12
2.2.3.	13
2.3.	14
2.4.	15
2.4.1.	15
2.4.2.	15
3.	16
3.1.	17
3.2.	17
3.2.1.	18
3.2. 2.	19
3.3.	20
3.3.1.	21
3.3.2.	21
3.3.3.	21
3.4.	22
3.5.	22
.....	23



服务宗旨：快速响应，达到满意，超过期望



whhezi@163.com



PSK

200kg

LCD

Φ120mm

625Hz 1562Hz 2500Hz 10kHz

3.5

√

×

AC 0.00V 600V(50Hz/60Hz)

AC

0.00A~5000A(50Hz/60Hz)

45Hz 70Hz



200mm

Φ200mm

1

	23 ± 1	-10 40	/
	40% 60%	80%	/
	50Hz ± 1Hz	45Hz~70Hz	
	7.4V ± 0.5V	7.4V ± 1V	/
	11.1V ± 0.5V	11.1V ± 1.5V	/



2

	11.1V 8
	625Hz 1562Hz 2500Hz 10KHz
	500V
	5A
	1 /
	2ms
	φ 120 mm
	3 1
	300mm × 175mm × 50mm
	φ 120mm
	2m
	225mm × 100mm × 10mm
	320mm × 275mm × 145mm
	300mm × 175mm × 50mm
	LCD
LCD	128mm × 75mm 124mm × 67mm
	400mm × 245mm × 335mm
	-10 40



	-20 ~50 ≤ 95 RH,
	-10 40
	-20 ~50 ≤ 95 RH,
	2.5kg 1.08kg 4.4kg
	9.65V 9.5V
	12.6V DC
	DC
	200kg
	AC 3700V/rms()
	IEC61326(EMC)
	IEC61010-1(CAT 300V CAT IV 150V 2)

3

	7.4V USB 6
	300mA max
	3.5
	75%-135%
	√
	×
	207mm × 101mm × 45mm
	630mm 6 mm 12.5mm
	φ 200mm




2m
1m (1)
0 Ω 10k Ω
10k Ω 11V ()
0-10)
0 Ω 200 Ω
200 Ω 11V ()
0-5)
0.00V 600V(50Hz/60Hz)
0.00A 5000A(50Hz/60Hz)







1



2





2.1

1

2

3

4

5

“ √ ”

MODE2

Poff cable test

100

10

“ - ”

“ × ”

6

LCD

9.5V

2.2


2.2.1.

1 ()

2

3

4 ()



225



027-83267669



赫兹电力
HERTZ POWER

产品宗旨：技术领先，质量可靠，轻便易用

服务宗旨：快速响应，达到满意，超过期望



225

www.whhezi.com

14

027-83267669

whhezi@163.com





4

2

5

59.3~80.2mA

“↻”

”

6

10~100

75%

135%

“√”

“-”

7

10~100

“

×

”

8

457~616mA;

657~882mA

9

2.4.

2.4.1.

1

2

3

4

5

2

2.4.2.

1562Hz

2500Hz 625Hz

625Hz

10KHz

625Hz

10KHz

200

225

027-83267669





3

	600V
	2

3.1.

2m

10KHz

“
↓
↑
?”

0.2mA

0.2mA

“
↓
↑
?”

“
↓
↑
?”

ENTER

“
↓
↑
OK

225

“
↓
↑
?”

027-83267669

www.whhezi.com

18

whhezi@163.com





3.2.1.

A

B

2

“ ”

“ - ”

“ ”

3.2. 2.

● 0.2mA


● 75

135%

● (10KHz)

“ ”

“ ”



“ √ ” “ × ”

”

-
-
-
-
-
-
-
-
-
-

0.3mA

3.3.

Φ 200mm





3.3.2.



1-3

3



3.3.3.

10~100



“√”

“ - ”

”

“×”

“ ”



“√”

“×”


”

-
-
-
-
-
-
-
-

3.4.

- 1 V/A test
- 2 U COM
- 3 0V

600V



3.5.

- 1 V/A test
- 2

0.00A

5000A



225

027-83267669



	2
	1
	4
	1

-
-
-

3





“

”

“

”

1

2

1.

2.



1

2

3

2

24

027-83267669

24

48

4

225

027-83267669